






Kcal = Watt x 0.860
BTU = Watt x 3.413

Watt Δt 60° = Watt Δt 50° x 1,277
Watt Δt 40° = Watt Δt 50° x 0.741
Watt Δt 30° = Watt Δt 50° x 0.504
Watt Δt 20° = Watt Δt 50° x 0.292


p max = 5.0 bar

UNI EN 442 Δt 50° 75°/65°/20° Δt 30° 55°/45°/20°





[F]

Standard connection / Raccord standard
Standard Anschluss / Conexión estándar




[H]

Special connection / Raccord spéciale / Speziell Anschluss / Conexión especial



Built-in valves
Vanne à encaisse
Einbauventile
Válvulas de empotrar

[BIAN] **E12VIB**
[CROM] **E12VIR**



Waffle V

H cm	L cm	I* cm	art*	Lt*	watt Δt 30°	watt Δt 50°
82.0	61.0	35.1	WAFV082061S	0.9	362	718
123.0	61.0	35.1	WAFV123061S	1.3	528	1 048
164.0	61.0	35.1	WAFV164061S	1.6	677	1 344
205.0	61.0	35.1	WAFV205061S	2.0	822	1 632

*The only colours available for this product are

*Les seules couleurs disponibles pour ce produit sont

*Die einzigen Farben dieses Modells sind

*Los únicos colores disponibles para este radiador son

ARAG, ARRG, BLMT, BRAG, CRAG, FRAG, GRGR, GRPR, LRAG, MRAG, NRAG.

Optional




Angled Valve
Vanne équerre
Eckausführung Ventil
Válvula a escuadra

[BIAN] **E12SQB**
[CROM] **E12SQR**




Thermostatic head
Tête thermostatique
Thermostatkopf
Cabezal termostático

[BIAN] **TTB**
[CROM] **TTR**




$\varnothing \leq 16$ mm
[BIAN] **CTB**
[CROM] **CTR**

 $16 \text{ mm} < \varnothing < 24$ mm
[BIAN] **CWB**
[CROM] **CWR**



Sleeving kit
Kit couvre tuyau
Rosetten
Kit cubre tubo

[BIAN] **C5B**
[CROM] **C5R**




Wood towel bar
Porte-serviettes en bois
Holzhandtuchhalter
Porta toallas de madera

[LIGHT*] **MWL**
[DARK*] **MWD**

art* = item / modèle / Artikel / artículo I* = pipe centres / distance entre depart et retour / Achsabstand / distancia entre las conexiones

Lt* = water content for each element / volume d'eau pour chaque element / Wassergehalt für Element / contenido de agua por cada elemento LIGHT* = ash wood / bois de frêne / Eschenholz / madera de fresno DARK* = walnut wood / bois de noyer / Walnussholz / madera de nogal






$Kcal = Watt \times 0.860$
 $BTU = Watt \times 3.413$

$Watt \Delta t 60^\circ = Watt \Delta t 50^\circ \times 1,277$
 $Watt \Delta t 40^\circ = Watt \Delta t 50^\circ \times 0.741$
 $Watt \Delta t 30^\circ = Watt \Delta t 50^\circ \times 0.504$
 $Watt \Delta t 20^\circ = Watt \Delta t 50^\circ \times 0.292$

p max = 5.0 bar


UNI EN 442 $\Delta t 50^\circ$ 75°/65°/20° $\Delta t 30^\circ$ 55°/45°/20°



Reversible radiator
Radiateur réversible
Reversibler Heizkörper
Radiador reversible




[F]

Standard connection / Raccord standard
 Standard Anschluss / Conexión estándar






[H]

Special connection / Raccord spéciale / Speziell Anschluss / Conexión especial



Built-in valves
 Vanne à encaisse
 Einbauventile
 Válvulas de empotrar

[BIAN] **E12VIB**
 [CROM] **E12VIR**



Waffle O

H cm	L cm	I* cm	art*	Lt*	watt Δt 30°	watt Δt 50°
61.0	82.0	35.1	WAFO082061S	0.9	380	754
61.0	123.0	35.1	WAFO123061S	1.3	554	1 100
61.0	164.0	35.1	WAFO164061S	1.6	711	1 411
61.0	205.0	35.1	WAFO205061S	2.0	864	1 714

*The only colours available for this product are

*Les seules couleurs disponibles pour ce produit sont

*Die einzigen Farben dieses Modells sind

*Los únicos colores disponibles para este radiador son

ARAG, ARRG, BLMT, BRAG, CRAG, FRAG, GRGR, GRPR, LRAG, MRAG, NRAG.

Optional




Angled Valve
Vanne équerre
Eckausführung Ventil
Válvula a escuadra

[BIAN] **E12SQB**
[CROM] **E12SQR**




Thermostatic head
Tête thermostatique
Thermostatkopf
Cabezal termostático

[BIAN] **TTB**
[CROM] **TTR**



$\varnothing \leq 16$ mm
[BIAN] **CTB**
[CROM] **CTR**

 $16 \text{ mm} < \varnothing < 24$ mm
[BIAN] **CWB**
[CROM] **CWR**



Sleeving kit
Kit couvre tuyau
Rosetten
Kit cubre tubo

[BIAN] **C5B**
[CROM] **C5R**

art* = item / modèle / Artikel / artículo I* = pipe centres / distance entre depart et retour / Achsabstand / distancia entre las conexiones
Lt* = water content for each element / volume d'eau pour chaque element / Wassergehalt für Element / contenido de agua por cada elemento